



# **Product Comparison**

Line drawings shown at 1:1 scale.





Uni-Guide | D125, D100, D075





# **Product Comparison**






## **Contents**







**TECHNICAL** 

**Applications** 



**Product Information** 



**Technical Information** 







#### Components







Low Profile Mini-Rail











#### **Driven Systems**















#### **Common Buttons and Links**

If you are utilizing our digital GST catalog, you can click these icons throughout the publication, to get more information.

Note: Hyperlinks go to English language website.



Link to product information



**Download CAD** 



Consult Factory • 800-962-8979



**Ordering Information** 





**Watch Product Video** 



**Email an Application Engineer** 

# **Applications**






# **Applications**




Uni-Guide™ provides smooth and quiet linear motion in a simple, compact assembly that is ideal for the modical and laboratory industry.




#### **Automation and Assembly Line Gripper:**

The two-piece, aluminum designed Uni-Guide, is a unique assembly that eliminates tolerance stack up and can be easily integrated into existing applications.

# **Applications**





## Mini-Rail

#### **PRODUCT OVERVIEW**

An economical alternative to conventional miniature linear guides, Mini-Rail requires little maintenance, is dimensionally interchangeable with industry standard sizes and is maintained in stock for quick delivery.

Mini-Rail miniature linear guides are available in lengths up to 3600mm, meaning no cumbersome butt joints. These guides are precision manufactured out of lightweight aluminum alloys to ensure long life and corrosion resistance.

- Ceramic coated aluminum rail and anodized aluminum carriage
- Self-lubricating FrelonGOLD<sup>®</sup> Liner
- · Compact design leaves a small footprint
- Corrosion resistance makes Mini-Rail ideal in harsh environment
- No rolling elements eliminates possibility of catastrophic failure
- · Withstands vibration and shock
- · Available in five sizes: 7, 9, 12, 15, and 20 mm

#### **Carriage Configurations**

**Precision Series:** Ceramic coated rails and anodized carriages are corrosion resistant. FrelonGOLD self-lubricating liner delivers the best overall performance, the highest loads, the best wear life, and speeds. Most precise running clearance for high precision applications.

**Compensated Series:** Same as Precision Series except with additional clearance provided to tolerate misalignment.

#### **Applications**


- Medical Precision
- · Mobile Home Components
- Packaging
- Food Processing
- Product Movement
- Automation
- · Semi-conductor
- Printing
- Electronics

## **Components**




#### Precision Series

.025 - .051 mm Running Clearance (CERAMIC COATED)



#### Compensated Series

.064 - .089 mm Running Clearance (CERAMIC COATED)




## **Components**

## Mini-Rail

#### **DIMENSIONS**





Maximum Length: 3600 mm

Max V: 300 sfm for FrelonGOLD (1.524 m/s)

Materials: 6061-T6 aluminum rail and carriage, FrelonGOLD®

Max P: 3000 psi for FrelonGOLD (20.68 N/mm²)

		A	В	B <sub>1</sub>	С	D	I	E	F	Carriage Mtg. Holo		H <sub>1</sub>	H <sub>2</sub>	K	M	у	х		
Part Number	Running Clearance	Base Width mm	Overall Height	Rail Height	Carriage Width	Carriage Length	Carriage Mtg. Hole Size	Carriage Mtg. Hole Depth	Mtg. Ctı			Atg. Hole Rail Hole Size		Rail Hole Size		Carriage Height	Rail Mtg. Hole to Qualified Edge	Rail Hole to End	Rail Hole Ctr. to Ctr.
MR7-xxx	.025051	7	8	6.1	17	24	M2 x 0.4		8	10	12	2.4	2.2	6.2	3.5	5	15	0.10	5.7
MRC7-xxx	.064089	,	0	0.1	17	24	IVIZ X U.4		0	12	4.2	2.4	2.3	0.2	3.3	5	13	0.10	3.7
MR9-xxx	.025051	9	10	7.1	20	30			13	15	4 5	2.6	3	8.0	4.5	7.5	20	0.16	8.5
MRC9-xxx	.064089	9	10	7.1	20	30		THRU	13	10	4.5	2.0	3	8.0	4.5	7.5	20	0.10	0.0
MR12-xxx	.025051	12	13	8.0	27	34	M3 x 0.5	ITKU	15	20			3.5	10.7	6	10	25	0.22	20.0
MRC12-xxx	.064089	12	13	0.0	21	34	IVIO X U.J		13	20	6	3.5	3.3	10.7	U	10	23	0.22	20.0
MR15-xxx	.025051	15	16	9.2	32	42			20	25	0		4.5	14.1	7.5	15	40	0.38	34.0
MRC15-xxx	.064089	15	10	9.2	32	42			20	25			4.5	14.1	7.5	15	40	0.38	34.0
MR20-xxx	.025051	20	25	13.4	46	62	M4 x 0.7	12.5	38	20	9.5	6	8.5	21.2	10	20	60	0.48	127.9
MRC20-xxx	.064089	20	25	13.4	40	02	IVI4 X U./	12.3	30	30	9.5	0	6.5	Z1.Z	10	20	00	0.48	127.9

Note: Cut-to-length rails are available up to 3600 mm.

Standard and cut-to-length rail ends are NOT coated. Fully coated rails are available upon request for high volume quantity requirements.

All carriage mounting holes are through tapped except MR20 12.5mm of thread.

The "Y" dimension will remain constant at one end unless requested otherwise.

Add the overall length of the rail to the part number (EX:"MR12-0220" for a Precision Series assembly with a 220mm rail).

## Mini-Rail

#### **Static Load Data**

The numbers below are for rails in a static condition. Refer to the calculations below to establish dynamic parameters.


Size	MSL N*	My N-m	Mx N-m	Mz N-m
7	734	2.3	1.8	1.8
9	1557	5.0	3.2	3.2
12	1957	9.0	5.6	5.6
15	3114	15.1	9.0	9.0
20	6005	24.9	14.7	14.7


<sup>\*</sup>Max static load in Newtons.

#### **Load/Moment Conversion**

 $N = 4.45 \times (lbs.)$ 

 $N-m = 0.113 \times (in.-lbs.)$ 





## **Components**

#### **Performance Ratings for Linear Motion**

Plain bearings are rated by their limiting PV, which is a combination of load over a given surface area and the velocity.

Bearing material	Max. PV	Мах. Р	Max. V No Lubrication
FrelonGOLD®	20,000 (psi x ft./min.) or 0.7 N/mm2 x m/s	3000 psi or 20.68 N/mm2	300 sfm or 1.524 m/s

**PV** = The performance measurement of plain bearings.

**PV** = P x V, where P = pressure (load) in psi (kgf/cm2)

V = velocity (speed) in sfm (m/min.)

PV Example: Load = 85 psi

Speed = 180 ft./min.


**PV** = 85 x 180 = 15,300 PV

Note: All three parameters must be met by an application for the bearing to perform properly.

Note: FrelonGOLD® bearing material coefficient of friction is 0.125.

#### **Cantilevered Loads**

Binding of the carriage will occur if the 2:1 ratio for cantilevered loads and drive forces is exceeded. This principle is not load or force dependent. It is a product of the coefficient of frictions associated with plain bearings. Contact factory or website for additional information.




## **Components**

## Mini-Rail

#### Ordering information


#### **CARRIAGE**



Example: MRC20C

Note: Mini-Rail carriages are matched to the rails at the time of the order. Adding carriages at a later date may result in an unsatisfactory fit between carriage and rail

#### **RAIL**



Example: MR20R



## Low Profile Mini-Rail

#### **PRODUCT OVERVIEW**

Low Profile Mini-Rail is the perfect low cost solution for compact, low friction linear motion applications. The anodized aluminum rails offer a unit that is resistant to lubricants, fuels, dyes and weak acids. Being an industry standard interchangeable component, the LPM series is a fool-proof polymer slider.

#### **Features & Benefits**


- Low cost
- Molded polymer slider with molded-in stainless steel threaded inserts
- · Anodized aluminum rails
- Industry standard interchangeable
- · Compact, low friction solution
- · Resistant to contaminants, dyes, and weak acids
- Temperatures range: -35°C to +65°C
- Available in four sizes: 17, 27, 40, and 80 mm
- Running clearance is  $\leq 0.5$ mm

## **Components**



#### **Applications**

- Medical Equipment
- · Packaging Precision
- Automation Industry




Download CAD

## Components

## Low Profile Mini-Rail

#### **DIMENSIONS**



Materials: Polymer slider (UL 94 HB flammability rating) Molded-in stainless steel thread inserts Anodized aluminum rails

Running Clearance: Less than or equal to 0.5 mm

Maximum Velocity: 10 m/s


Load Reduction Factor: 0.7-1.0 for low speed application; 0.4-0.7 for medium speed application; 0.1-0.4 for high

speed application


			В		D	_	_	Н			L3	γ	Х	Carriage	Rail					Load C	apacit	у			
Part Number	A1	A	В	l l	ע	E	F	H C'Bore	LI	LZ	L3	ľ	, x	Wt. Unit Wt.	F	y	F	z	N	x	N	ly	N	1z	
Number							mm							g	g/mm	N	lbs.	N	lbs.	N-m	lbs in	N-m	lbs in	N-m	lbs in
LPM17	14.6	17	6	9.6	25	M3 x 0.5	14	M3 SBHCS	8.5	N/A	N/A	20	60	1.1	0.15	35	8	10	2.5	0.2	1.5	0.3	2.5	0.2	1.5
LPM27	24	27	9.5	14	40	M4 x 0.7	20	M4 SBHCS	13.5	N/A	N/A	20	60	4.8	0.33	130	30	85	20	1	10	2.5	20	1	10
LPM40	36	40	9.5	23	50	M4 x 0.7	20	M4 SBHCS	20	N/A	N/A	20	60	9.8	0.38	270	60	150	35	2.5	25	5	50	2.5	25
LPM80	75.2	80	12.0	57	80	M4 x 0.7	56	M4 SBHCS	20	40	45	25	150	32.3	1.07	515	120	250	55	7	60	14	125	7	60

Note: Apply a load reduction factor 0.25 on Fy rating if the system is used inverted.

## **Ordering information**



EXAMPLE: LPM17-1000-1



## Low Profile Uni-Guide™

#### PRODUCT OVERVIEW

The Low Profile Uni-Guide is a solution that maintains the proven advantages of the standard Uni-Guide in a simple, low cost and compact assembly. This two-piece assembly equipped with FrelonGOLD® liner creates a maintenance-free, smooth and guiet linear motion solution.

PBC Linear's patent penting SIMO milling operation creates a precision-machined rail and carriage surface providing tight tolerances and alignment accuracy. The Low Profile Uni-Guide is available in both the precision and compensated series, allowing varying amount of running clearance to tolerate misalignment for a given application.

#### **Features & Benefits**

- Low cost
- Ceramic coated aluminum rail, standard anodized carriage with FrelonGOLD liner
- · Low wear, high load capacities, and maintenancefree operation
- Two-piece assembly facilitates a guick and easy integration into new or existing systems
- No metal-to-metal contact, which eliminates catastrophic failure
- Vibration damping and shock resistant
- · Ideal for contaminated environments and clean rooms - hard anodized aluminum prevents contaminants from sticking
- · Angled rail design ensures optimum washdown
- Operates well in a wide temperature range
- · Suitable for an extremely short stroke

#### **Carriage Configurations**

Precision Series: Ceramic coated rails and carriages are corrosion resistant. FrelonGOLD self-lubricating liner delivers the best overall performance, the highest loads, the best wear life, and speeds. Most precise running clearance for high precision

**Compensated Series:** Same as Precision Series except with additional clearance provided to tolerate misalignment.

## Components



#### Accessories


- · Hand Brake
- Felt Wick Lubrication there are no lube port holes in the carriage, but you may add lubrication to the wick by removing the carriage from the rail

#### **Applications**

- Medical equipment
- · Laboratory equipment

#### **Precision Series**

.025 - .051 mm Running Clearance (CERAMIC COATED)



#### Compensated **Series**

.064 - .089 mm Running Clearance (CERAMIC COATED)




Note: Does not apply to Standard Uni-Guide products. Plain bearings should comply with the 2:1 ratio rule.

## **Components**

## Low Profile Uni-Guide™

#### **DIMENSIONS**






#### **Dimensional Data**

Carriage Part#	Standard Carriage mm									
Gairlage Faitm	c1	C2	C3	C4	lbs. (kg)					
UGA040C-0x1xxx	100	87	60	N/A	.504 (0.23)					
			Extende	d Carria	ge					
UGA040C-1x1xxx	150	137	60	40	.750 (0.34)					
UGA040C-2x1xxx	200	187	60	60	1.014 (0.46)					

1 N=0.2248 lbf 1 N-m = 0.7376 ft.-lbs.

#### **Accessories**



## **Low Profile Uni-Guide™**

#### Static Loads data

The numbers below are for guides only in a static condition. The drive mechanism selected (lead screw, ball screw, cylinder, etc.) becomes the limiting factor when calculating maximum load and speed capacities. The user is responsible for determining the maximum capacity for the complete system based on the manufacturer's data for their drive configuration.


SIZE	Fz Max LOAD lbs.	Fz max Load N	Fz Inverted Max LOAD lbs.	Fz Inverted max Load N
UGA040C-0x1xxx	1,843	8,200	607	2,700
UGA040C-1x1xxx	1,483	6,600	607	2,700
UGA040C-2x1xxx	1,101	4,900	607	2,700

Size	Fy Ibs	My in/lbs	Mx in/lbs	Mz in/lbs	Fy N	My Nm	Mx Nm	Mz Nm
UGA040C-0x1xxx	1,101	1,505	1,062	1,505	4,900	170	120	170
UGA040C-1x1xxx	1,281	2,567	1,062	2,567	5,700	290	120	290
UGA040C-2x1xxx	1,371	2,567	1,062	2,567	6,100	290	120	290

#### **Load/Moment Conversion**

 $N = 4.45 \times (lbs.)$ 

 $N-m = 0.113 \times (in.-lbs.)$ 



## **Components**

#### Performance Ratings for Linear Motion

Plain bearings are rated by their limiting PV, which is a combination of load over a given surface area and the velocity.

Bearing material	Max. PV	Max. P	Max. V No Lubrication
FrelonGOLD®	20,000 (psi x ft./min.) or 0.7 N/mm2 x m/s	3000 psi or 20.68 N/mm2	300 sfm or 1.524 m/s

**PV** = The performance measurement of plain bearings.

**PV** = P x V, where P = pressure (load) in psi (kgf/cm2)

V = velocity (speed) in sfm (m/min.)

**PV** Example: **Load** = 85 psi **Speed** = 180 ft./min.


**PV** = 85 x 180 = 15,300 PV

Note: All three parameters must be met by an application for the bearing to perform properly.

Note: FrelonGOLD® bearing material coefficient of friction is 0.125.

#### **Cantilevered Loads**

Binding of the carriage will occur if the 2:1 ratio for cantilevered loads and drive forces is exceeded. This principle is not load or force dependent. It is a product of the coefficient of frictions associated with plain bearings. Contact factory or website for additional information.




## Components

## **Low Profile Uni-Guide™**


#### Ordering information

#### **RAIL**



Ex: UGA040R-0300-000

#### **CARRIAGE**



Note: 1 - Default end to first hole is 20 mm

- 2 60 mm hole spacing provided for higher moment capacity. For low moment applications, every other hole may be used.
- 3 FrelonGOLD® must be paired with standard anodized rail.
- 4 "None" carriage option is ready to accept both CHB and JKM options for after market addition.

Ex: UGA040C-0P1G00





## Uni-Guide™

#### **PRODUCT OVERVIEW**

Uni-Guide reduces bulky part count with its two-piece assembly, simplifying integration into both new and existing applications. Accompanied by PBC Linear's FrelonGOLD® liner, Uni-Guide facilitates smooth, maintenance-free travel throughout the life of the system. Designed to thrive in challenging environments, Uni-Guide offers best-in-class linear motion performance.

#### **Features & Benefits**

- · Ceramic coated, aluminum rail and anodized carriage
- Self-lubricating, maintenance-free FrelonGOLD Liner
- The two-piece assembly makes for a quick and easy integration while also eliminating the need for alignment in both new and existing applications



- · Excels in demanding extremes including temperature, heavy particulates, wash-down and extreme vibration
- No rolling elements, eliminating possibility of catastrophic
- Easy drop-in unit no alignment necessary
- Slide sizes ranging from 75, 100, and 125 mm
- Continuous lengths up to 10 feet (3,048 m)
- Standard cut-to-length rails and carriage assemblies


#### **Accessories**


- · Hand brake
- Hand crank
- NEMA 17, 23, and 34 motor mount (driven systems)

#### **Applications**

- · Automation & assembly line gripper
- Medical & laboratory equipment
- · Heavy duty vise
- Audio/visual display mounts

## Components







## **Components**

## Uni-Guide™

#### **DIMENSIONS**







#### Standard Inch Series With No Drive Mechanism Inches

Part Number	R	R1	R2	Х	R4 Bolt Size	Υ	Н	С	C1 Standard	C2 Standard	C1 Extended	C2 Extended	C3	C4 Bolt Size	М	M1	l Max- feet
D075	2.95	2	0.75	4	1/4	2	1.625	4.6	3.5	3	4.5	4	4	10-32	2.6	.819	
D100	3.94	2.6	1	6	5/16	3	2.125	6.1	4.5	3.75	6	5.25	5.25	1/4-20	3.5	1.02	10
D125	4.92	3.3	1.25	6	3/8	3	2.625	7.6	6	5.25	7.5	6.75	6.75	5/16-18	4.33	1.30	

## **Carriage Types**

Part No.	Drill	Depth	Тар	Depth
D075-xxx	.159	.534	10-32	.440
D100-xxx	.201	.750	1/4-20	.500
D125-xxx	.257	.730	5/16-18	.625

#### **T-Slot Information Inches**

PART NO.	Т	T1	T2		
D075-xxx	.590	.256	.236		
D100-xxx	.661	.319	.268		
D125-xxx	.001	.519	.200		

## Rail $\Phi$ Approximate

D075	.470 = 12 mm
D100	.630 = 16 mm
D125	.820 = 22 mm

#### Rail Straightness

±.002"/ft

### Weight

Part No.	Rail Per Inch Ibs.	Standard Carriage Ibs.	Extended Carriage lbs.
D075-xxx	0.19	0.98	1.26
D100-xxx	0.32	2.12	2.82
D125-xxx	0.48	4.56	5.7

## Uni-Guide™

#### Static Loads - Standard Uni-Guide

The numbers below are for guides only in a static condition. The drive mechanism selected (lead screw, ball screw, cylinder, etc.) becomes the limiting factor when calculating maximum load and speed capacities. The user is responsible for determining the maximum capacity for the complete system based on the manufacturer's data for their drive configuration.


Size	FZ Max Load lbs	FZ Max Load N	FZ Inverted Max Load lbs	FZ Inverted Max Load N
D075	500	2224	125	556
D100	750	3336	190	845
D125	1000	4448	250	1112

Size	FY lbs	MY in/lbs	MX in./lbs	MZ in/lbs	FY N	MY NM	MX NM	MZ NM
D075	250	340	340	350	1,112	38	38	40
D100	375	650	650	730	1,668	73	73	82
D125	500	1,200	1,200	1,225	2,224	136	136	138

#### **Load/Moment Conversion**

 $N = 4.45 \times (lbs.)$ 

 $N-m = 0.113 \times (in.-lbs.)$ 



## Components

#### **Performance Ratings for Linear Motion**

Plain bearings are rated by their limiting PV, which is a combination of load over a given surface area and the velocity.

Bearing Material	Max. PV	Max. P	Max. V No Lubrication
FrelonGOLD®	20,000 (psi x ft./min.)	3000 psi	300 sfm
	or	or	or
	0.7 N/mm2 x m/s	20.68 N/mm2	1.524 m/s

**PV** = The performance measurement of plain bearings.

**PV** = P x V, where P = pressure (load) in psi (kgf/cm2)

V = velocity (speed) in sfm (m/min.)

PV Example: Load = 85 psi

Speed = 180 ft./min.


**PV** = 85 x 180 = 15,300 PV

Note: All three parameters must be met by an application for the bearing to perform properly.

Note: FrelonGOLD® bearing material coefficient of friction is 0.125.

#### **Cantilevered Loads**


Binding of the carriage will occur if the 2:1 ratio for cantilevered loads and drive forces is exceeded. This principle is not load or force dependent. It is a product of the coefficient of frictions associated with plain bearings. Contact factory or website for additional information.



## **Components**

## Uni-Guide™

#### **Ordering Information**



Mini-Rail Driven

#### **PRODUCT OVERVIEW**

The lead screw driven Mini-Rail (MR-LS) system maintains all of the great features and benefits of Mini-Rail. The system is a fully interchangeable and economical solution to industry standard linear guides, and contains no rolling elements which avoids catastrophic failure.

#### **Features & Benefits**

- · Right hand rolled thread
- 304 stainless steel screw with PTFE coating
- · Self-lubricating Polyacetal, anti-backlash nut
- · Lengths up to 640 mm
- Eight (8) leads available see page 22

#### **Accessories**


- NEMA 17 motor mount kit
- Hand brake
- Knob







#### **DIMENSIONS**

#### MR15LS










Note: Maximum length for lead screw driven MR is 640 mm.



#### MR20LS








#### Mini-Rail Driven

#### **PRODUCT OVERVIEW**

The Lead Screw Driven Mini-Rail with the attached motor brings another great feature forward in linear motion. Also equipped with all the great features of Mini-Rail, this low cost option is equpped with a high torque stepper motor (NEMA 17).

#### **Features & Benefits**


- Low cost
- High torque single stack stepper motor 42 mm (NEMA 17)
- · Robust design outstanding reliability
- · 304 stainless steel screw with PTFE coating
- Fewer parts less maintenance
- Integral screw for MR20 (coupling used for MR15)
- · Ball bearing supports in the end blocks
- · Preloaded Polyacetal, anti-backlash nut
- · Lengths up to 640 mm
- Eight (8) leads available see page 22






#### **DIMENSIONS**







Note: Maximum length for lead screw driven MR is 640 mm.

## Mini-Rail Driven





# Size 17 stepper motor with 6 mm (0.236") screw



# Performance Ratings for Linear Motion

Plain bearings are rated by their limiting PV, which is a combination of load over a given surface area and the velocity.

Bearing Material	Max. PV	Max. P	Max. V No Lubrication
FrelonGOLD®	20,000 (psi x ft./min.)	3000 psi	300 sfm
	or	or	or
	0.7 N/mm <sup>2</sup> x m/s	20.68 N/mm <sup>2</sup>	1.524 m/s

**PV** = The performance measurement of plain bearings


**PV** = P x V where P = pressure (load) in psi (kgf/cm2)

V = velocity (speed) in sfm (m/min.)

Note: All three parameters must be met by an application for the bearing to perform properly.

#### **Cantilevered Loads**

Binding of the carriage will occur if the 2:1 ratio for cantilevered loads and drive forces is exceeded. This principle is not load or force dependent. It is a product of the coefficient of frictions associated with plain bearings. Contact factory or website for additional information.



#### **Load/Moment Conversion**

**N** = 4.45 x (lbs.) **N-m** = 0.113 x (in-lbs.)


l and	Lead Code	Linear Travel per Step		
Lead		Mm	Inch	
1 mm	АН	0.005	0.000197	
2 mm	AG	0.010	0.000394	
4 mm	AR	0.020	0.000787	
5 mm	AX	0.025	0.000984	
6 mm	BG	0.030	0.001181	
8 mm	ВН	0.040	0.001575	
10 mm	AJ	0.050	0.001969	
12 mm	BD	0.060	0.002362	

Note: 1.8° = 200 steps per revolution

#### Mini-Rail Driven


#### **Ordering information**

#### **LEAD SCREW DRIVEN**



Note: Coupling not included; PBC Recommends R+W EKL2 Coupling or equivalent. Actuator requires 3.18 mm (.125") bore)

#### LEAD SCREW DRIVEN WITH MOTOR



## Uni-Guide™

#### **PRODUCT OVERVIEW**

The Uni-Guide driven system offers all the same best-in-class linear motion performance advantages as the standard Uni-Guide. The reduced part count will continue to simplify assembly and integration, and will facilitate smooth, maintenance-free travel throughout the life of the system.

#### **Features & Benefits**


- Thrives in the most challenging environments
- Self lubricating FrelonGOLD® liner
- Offers three (3) slide sizes: 75, 100, 125 mm
- Standard cut-to-length rail & carriage assemblies
- Easy drop-in unit no alignment necessary

#### Accessories


- NEMA 17, 23 and 34 motor mount kit
- · Hand brake (components)
- · Hand crank (components)



#### **DRIVE SHAFTS**



Driven



## Driven

## Uni-Guide™

#### **Dimensional Data**


Part	Nominal	М	M1	C1	C2	C1	C2		S	Υ	R3	R4	W	Х	Z	H1	H2
Part No.	Screw Dia.	Standard Lead	Optional Lead	Standard	Standard	Extended	Extended	C3	IN	IN	IN	IN	IN	IN	IN	IN	IN
D075	10 mm	6 mm	12 mm	3.5	3	4.5	4	4	0.187	2	4	1/4	0.375	0.625	3.42	1.75	1.625
D100	12 mm	6 mm	12 mm	4.5	3.75	6	5.25	5.25	0.314	3	6	5/16	0.5	0.625	3.42	1.75	1.625
D125	16 mm	5 mm	12 mm	6	5.25	7.5	6.75	6.75	0.314	3	6	3/8	0.5	1	5.78	3.5	2.500

NOTE: Optional leads may be available - consult factory. Specify Y dimension (hole to end) at time of order.

Stroke = Rail Length - Carriage Length - Overtravel Idle End - Over Travel Drive End.


#### **Hand Brake Inches**

Part No.	W	D	H2
D075HB	3.42	1.74	3.4
D100HB	4.57	2.50	4.3
D125HB	5.79	3.47	4.7




#### **Hand Crank**

Part No.	Р	Н
D075XH	2.31	1.75
D100XH	2.31	2.25
D125XH	2.31	3.25



#### **Motor Mount Attachment**

Part No.	Nema Motor	В	E	D
D075XN	NEMA 17	2	1.81	3.25
D100XN	NEMA 23	2.5	1.81	3.25
D125XN	NEMA 34	3.5	2.3	4.25



## Uni-Guide™

#### **Static Load Data**


The numbers below are for guides only in a static condition. The drive mechanism selected (lead screw, ball screw, cylinder, etc.) becomes the limiting factor when calculating maximum load and speed capacities. The user is responsible for determining the maximum capacity for the complete system based on the manufacturer's data for their drive configuration.

Size	FZ Max Load lbs	FZ Max Load N	FZ Inverted Max Load Ibs	FZ Inverted Max Load N
D075	500	2224	125	556
D100	750	3336	190	845
D125	1000	4448	250	1112

#### **Load/Moment Conversion**

N = 4.45 x (lbs.)

 $N-m = 0.113 \times (in.-lbs.)$ 



#### **Performance Ratings for Linear Motion**

Plain bearings are rated by their limiting PV, which is a combination of load over a given surface area and the velocity.

Bearing Material	Max. PV	Max. P	Max. V No Lubrication
FrelonGOLD®	20000 (psi x ft./min.)	3000 psi	300 sfm
	or	or	or
	0.7 N/mm <sup>2</sup> x m/s	20.68 N/mm <sup>2</sup>	1.524 m/s

**PV** = The performance measurement of plain bearings.

 $PV = P \times V$ , where P = pressure (load) in psi (kgf/cm2)

**V** = velocity (speed) in sfm (m/min.)

PV Example: Load = 85 psi

Speed = 180 ft./min.


**PV** = 85 x 180 = 15,300 PV

Note: All three parameters must be met by an application for the bearing to perform properly.

Note: FrelonGOLD® bearing material coefficient of friction is 0.125.

#### **Cantilevered Loads**

Binding of the carriage will occur if the 2:1 ratio for cantilevered loads and drive forces is exceeded. This principle is not load or force dependent. It is a product of the coefficient of frictions associated with plain bearings. Contact factory or website for additional information.




Driven

#### Driven

## Uni-Guide™

## **ORDERING INFORMATION**



Note: Specify Y dimension (hole to end) at time of order.

## Low Profile Uni-Guide™

PBC Linear offers a Low Profile Uni-Guide driven system through the SIMO Series line of products. This process has revolutionized



traditional machining. The SIMO process uses synchronized cutters, eliminating built-in extrusion variances by machining all critical edges concurrently. This ensures tight tolerances, limited variance and a remarkably straight and repeatable surface at negligible additional cost.

#### **Product Overview**

- · Utilizes a self-lubricating and maintenance free nut
- · Standard fixed nut or Constant Force anti-backlash nut available
- · Lead screw material:
- 10 mm diameter
- 300 series stainless steel with PTFE coating
- 1, 2, 5, 10, 16 mm leads most common
- Other leads available consult factory
- · Ideal for a broad range of applications such as kiosks, assembly, automation, medical, and laboratory

#### Features & Benefits

- · Standard integrated screw stepper motors
  - 42 mm (NEMA 17)
- 56 mm (NEMA 23)
- · Integrated lead screw eliminates components and tolerance stack-ups
- · Improves rigidity and performance
- · Reduces system cost


#### **Accessories**

- Hand knobs for manual positioning or applications that require precision adjustment
- Riser blocks
- Toe clamps and t-nuts
- · Brake knobs
- · Optional motor mounts


#### Driven



Patent pending **Constant Force** Technology nuts provide consistent anti-backlash operation



Drive end screw support bearings are integrated into the stepper motor





See other bearing and drive options in the full SIMO Series Catalog.





See other motor options in the SIMO Series Motor Mount Catalog.

## Driven

## Low Profile Uni-Guide™

#### SYSTEM DIMENSIONS





ZZ = No Motor/Stub Shaft with Assembled Motor Mount\*

## **Plain Bearings**

#### **Product Overview**

- Frelon liner is bonded to the carriage at the molecular level, which transfers the load and dissipates heat buildup
- · No metal-to-metal contact provides a smoother, quieter running assembly
- Anodized aluminum prevents rust and corrosion
- · Maintenance free, smooth and quiet operation plus long life
- · No rolling elements, no catastrophic failure

#### **Frelon Liner Materials**


Frelon liners are compounds of PTFE and fillers developed for improved performance over other bearings. They provide low wear, low friction, self-lubrication, and high strength.


#### **PTFE Features:**

- · Self-lubricating, runs without added lubricant
- Embeddability of hard particulate
- · Wide temperature range (-400°F/+400°F) (-240°C/+204°C)
- Chemically inert
- Vibration damping and shock resistant

#### **Filler Benefits:**

- · High load capacity
- High strength
- · Low wear rate versus other materials





## Frelon® Material

#### **Load Capacity of Liner**

Bearing Material	Static Load Capacity
FrelonGOLD®	3000 psi or 210.9 kgf/cm <sup>2</sup>

- Frelon liner can carry from 4 to 20 times the load capacity of a ball bearing
- Allows the engineer to maintain performance in a smaller designed package
- · Shock loads and vibration are absorbed

#### Speed Characteristics

Bearing Material	No Lube Continuous Motion	No Lube Intermittent Motion	With Lubrication*
	300 sfm	825 sfm	825 sfm
FrelonGOLD	60 in/sec.	165 in./sec.	165 in./sec.
	1.524 m/sec.	4.19 m/sec.	4.19 m/sec.

Exceeding these speeds causes frictional heat and accelerates liner wear.

\*Depending on the lubrication used, loads, and frequency of continuous or intermittent motion, speeds can be in excess of the numbers shown.

#### Performance Ratings (for Linear Motion)

Plain bearings are rated by their limiting PV which is a combination of load over a given surface area and the velocity.


PV = The performance measurement of plain bearings

PV = P x V where P = pressure (load) in psi (kgf/cm2)

**V** = velocity (speed) in sfm (m/min.)

Note: All 3 parameters must be met by an application for the bearing to perform properly.

Bearing Material	Max. "PV"	Max. "P"	Max. "V" (No Lubrication)
FrelonGOLD	20,000 (psi) x ft./min.)	3000 psi	300 sfm
	or	or	or
	430 (kgf/cm2 x m/min.)	210.9 kgf/cm2	91.44 m/min.



## Frelon® Material

#### Transfer Process of Liner to Rail

The interaction of Frelon material and the rail creates a natural, microscopic transfer of Frelon to the running surface. A thin film is deposited on the rail, and the valleys in the surface finish are filled in with Frelon material during the initial breakin period. This transfer creates the self-lubricating condition of Frelon riding on Frelon.

This break-in period will vary depending on several criteria:

- Preparation of the rail prior to installation: It is best to clean the rail with a 3-in-1 type oil before installing the carriages. This ensures that the surface will receive a full transfer of material.
- · Speed, load, and length of stroke specific to the application: Typically, the initial transfer process will take approximately 50-100 strokes of continuous operation. The running clearance on the bearing will increase an average of .0002" to .0005", depending on the length of the stroke and surface requiring the transfer.
- · How often the rail is cleaned: If the rail is cleaned regularly, increased wear will be seen in the carriage. This is due to the transfer process being performed over and over again.



Do not repeatedly clean the rail with alcohol! This will remove the previously transferred material entirely and increase the wear to the carriage liner.

#### Lubrication

- Reduce friction up to 50%.
- · Minimize wear of liner.
- · Reduce heat buildup allowing greater speeds. Actual speeds achieved are dependent on type of lubricant and frequency of application.
- Aid in cleaning the rail for a proper transfer process. Initial lubrication is strongly recommended.

#### **Chemical Resistance**


The bearing surface of the rail can stand up to harsh environments and will provide excellent performance in a submerged condition.

FrelonGOLD® – the fillers in the material can be attacked by deionized water and other harsh chemicals.

**Anodized Aluminum (Standard)** – good chemical resistance in most industrial applications.

## **Plain Bearings**

#### Frelon® Transfer Process



At break-in, Frelon deposits a microscopic film on the shaft and fills the valleys in the surface finish creating a Frelon-on-Frelon running condition that is true self-lubrication.



#### **NOT RECOMMENDED**

- WD-40
- PTFE Sprays Fluorocarbons
- · Silicon Oils, Grease or Spray

WD40® is a registered trademark of the WD40 company





## **Plain Bearings**

#### **Temperature**

GST linear guides can operate in a wide range of temperatures (-400°F/+400°F) (-240°C /+204°C).

- Maintains the same performance characteristics
- The thin liner allows heat to dissipate through the carriage

#### **Thermal Expansion**

The standard bearing clearance options are designed for use in most industrial applications.

For temperatures below 0° F, the Standard I.D. is recommended.

For extreme high temperatures, Mini-Rail offers the Compensated I.D. which is recommended for the increased running clearance.



It is always best to inspect actual size at extreme temperatures to insure proper running clearance.

#### Vacuums/Outgassing/Cleanrooms

Due to self-lubrication, low outgassing, and a minimum of particulate (buildup), the carriages are excellent in clean rooms and vacuums.

Testing has been done on the Frelon® materials in accordance with ASTM E-595-90 with acceptable maximums of 1.00% TML and .10% CVCM.

Material	%TML	%CVCM		
FrelonGOLD®	0.00	0.00		

**TML** = Total Mass Loss

**CVCM** = Collected Volatile Condensable Materials

#### **Washdown and Submerged Applications**


GST linear guides will provide excellent performance in a washdown or submerged condition.


The linear guide will employ the fluid as a lubricant showing increased velocities and wear life. Oils and non-salt water are especially effective.

Note: Please contact manufacturer before utilizing units with the FrelonGOLD liner for submerged applications.

## Frelon® Material


#### **Temperature Extremes**






#### **Precision Series**

.025 - .051 mm Running Clearance (CERAMIC COATED)



#### Compensated **Series**

.064 - .089 mm Running Clearance (CERAMIC COATED)



Note: The only GST product that offers the Compensated I.D. is Mini-Rail



## Types & Effects of Lubrication

#### Types and Effects of Lubrication

Lubrication is any outside technique used for reducing the friction, wear, or both of a bearing. Proper lubrication of carriages is critical. Evaluate lubrication needs on an application by application basis to determine whether or not it should be used at all, what type is needed, and how it is applied. Below are some criteria on which to base the lubricant decision:

Do not use WD40™, PTFE sprays, or other oils, greases, or sprays that contain fluorocarbons or silicone. In testing, these lubricants have proven to cause long-term stick-slip problems with the Frelon lined carriages. They tend to become a gummy substance that ultimately increases friction.

WD40™ is a registered trademark of the WD40 Corporation.

#### **Recommended Lubricants:**

- · Way lube oils
- · Lightweight oils
- 3-in-1 type oils
- · Lightweight petroleum based greases

#### **Using Oils with GST Units**

DO NOT USE ANY TYPE OF MOTOR OIL OR OILS WITH **ADDITIVES!** These types of oils work well short term, but quickly become ineffective, and will cause stick-slip reactions. As a rule of thumb, the less additives in the oil, the better the performance. Recommended oils are Mobil Vactra #2 (a way lube oil) and any standard 3-in-1 oil. The 3-in-1 oils are tremendous cleaning oils and are the best in preparing for a proper transfer of teflon to the rail.

## **Plain Bearings**

#### **Grease Products**

DO NOT USE A MOLY FILLED OR OTHER TYPE FILLED **GREASES!** They become like a lapping compound and increase wear dramatically.

#### **Proper Use of Greases**

Proper use of grease is critical for trouble-free operation. If a felt wick is present, be sure it is removed because grease inserted into the carriage will cause the wick to act like a

#### Do not fill all of the running clearance with grease!

The temptation is to treat it like a rolling element and fill it until it weeps from the end. This will cause greater friction and binding.

The rule of thumb for the carriage liner that "thin is better" applies to the use of grease also.

If grease is used and does not work in the application, it is possible to salvage the carriage with minimal work and to continue to operate. Follow the steps below:

- 1. If possible, remove the carriage from the rail, wipe the grease from the liner, use a 3-in-1 type oil to clean the excess remaining grease, and reinstall.
- 2. If it is not possible to remove the carriage, wipe as much grease as possible away from the ends, then start to add a 3-in-1 type oil for cleaning the liner. If there is a Zerk hole, apply forced air to the carriage to speed the cleaning process and continue using oil lubrication.

## **Plain Bearings**

#### **Cantilevered Loads**


- · Maximum 2:1 ratio
- 1x = carriage separation on same rail
- 2x = distance from rail to load or force

**Example:** If 2x equals 10" then 1x must be at least 5"

#### Binding will occur if the 2:1 ratio is exceeded!



This principle is NOT load dependent! It is NOT due to edge loading. It is also NOT dependent on the driving force used! The carriages will bind whether hand or mechanically driven. This principle is a product of friction.



## **Cantilevered Loads**

Working through the following equation will explain why this is a product of friction:

P = force being applied

L = distance out from rail that P is being applied

s = center to center spacing of carriage

f = resultant force on carriage by rail

F = friction force on each carriage

 $\mu$  = coefficient of friction (about .25 when not moving)

Balance the moments: f\*s=L\*P

L/s = f/P

Compute friction force:  $F = f * \mu$ 

Note: Total friction force pushing up is 2 \* F. To lock up the slide, the total friction force must be equal to (or greater than) P.

$$P = 2 * F = 2 * f * \mu$$

Substitute for P:


$$L/s = f/(2*f*\mu) = 1/(2*\mu) = > L/s = 1/(2*\mu)$$

Note: The forces drop out of the equation

Assume static coefficient of friction is .25 ( $\mu$  = .25) then L/s = 2 That is the 2:1 ratio.

There may be other factors that add to the braking effect, but the coefficient of friction is the main cause.

Note: Proper lubrication can help to drop friction and extend the 2:1 ratio.



# **TECHNICAL**

## **Cantilevered Loads**

#### Counterbalance

If holding the 2:1 ratio is not possible, one method of preventing binding problems is using a counter balance.

Use the number of bearing pads or surfaces within a carriage and determine spacing based on the length of the carriage.

For efficient counter balances in horizontal applications, use this formula: M \* Y = W \* Z

Note: To avoid problems when running without mass:

$$(M) Z = 1-1/2 s$$

W can be calculated. Load on bearing will be:

M + W # of carriage

Example: 50 \* 24 = W \* Z (Z = 1-1/2 \* 6 = 9)

$$\frac{W = 50 * 24 = 133 \text{ lbs.}}{9}$$

Load per bearing:  $\frac{50 + 133}{4}$  = 45.75 lbs. / bearing

## Cantilever Loads and Drive Force Location without Counterbalance


d = distance from shaft to Drive Force

I = distance from shaft to the load center of gravity

s = center to center spacing of the carriage on the rail (If non-self-aligning, then outside to outside distance should be used.)

L = I/s = Load Force Ratio


D = d/s = Drive Force Ratio




## Hanging or "Top Heavy" Horizontal Applications with High Acceleration Rates:

If your application will have high acceleration forces, use this formula for the value of the Drive Force Ratio:

D = 
$$0.8 \times L \times a$$
 where a is acceleration in g's.



## **Plain Bearings**



#### **General Rules:**

- Drive Force Ratio (D) should never be larger than 2. A Drive Force Ratio (D) larger than 2 can cause the slide to lock up.
- Load Force Ratio (L) can be larger than 2, but as this ratio increases, the drive force required to move the slide increases

dramatically. A Load Force Ratio (L) larger than 4 is not recommended.

 If the slide is occasionally operated unloaded, use the distance to the slide's center of gravity as the distance to the load (1).

#### **Vertical Applications:**

- If L is between 0 and 2, the lowest drive forces occur when the value of D is about 90% of L (D = .9 x L). However, D values between 0 and L will work fine.
- If L is between 2 and 4, use this equation: D = 4 L

#### **Horizontal Applications:**

For best results, the drive force should be applied as close to the shaft as possible no matter what the value of the Load Force Ratio (L) is.

## **Plain Bearing**

FrelonGOLD® material is a composite of PTFE and a bearing filler. The PTFE is chemically inert. The chemical resistance shown in the chart below is defined by the compatibility of the filler with the various chemicals.

The table is provided as a reference only. The data given will be affected by factors such as temperature, PV, degree of contact, strength of solution, etc. In each specific application, it is always advisable to conduct specific testing to determine suitability of use. This table only addresses general corrosion, NOT galvanic, SCC, or other types of corrosion. Corrosion rates are at room temperature unless otherwise noted.

Standard and hard coat data only apply when the coating is intact. If the coating is worn through or damaged, an area of galvanic and pitting corrosion will be created. Then use the bare aluminum data.

Gliding Surface Technology products use aluminum alloy, which is known to have the best corrosion resistance of the high strength aluminum alloys. The sulfuric bath anodizing

#### **Chemical Reaction Chart**

and nickel acetate sealing provide the best corrosion resistance available in anodized coatings. They can withstand a rigorous 14-day exposure in a 5% salt spray solution at 96°F per military specifications without significant damage. With the coating intact, it is considered to be inert in most fluids with a pH value between 5 and 8. Hard coat anodizing provides the same chemical resistance but is applied to a .002" thickness, providing a more durable surface that will stand up to greater abuse. However, if the coating is penetrated, the resistance is reduced.

Special stainless steel components use AISI 316 stainless, which has superior resistance over 303, 304, 420, 440, 17-4PH, and most other common stainless grades. 316 is generally considered to be the most corrosion resistant of conventional stainless steels.

Note: This information was compiled for Pacific Bearing® Company by Materials Engineering, Inc. of Virgil, IL. This specification information is believed to be accurate and reliable, however, no liability is assumed. Information is for reference only. User must test specific applications.

Chemical	FrelonGOLD	Bare Aluminum	Standard & Hard Coat Anodized Aluminum	Chemical	FrelonGOLD	Bare Aluminum	Standard & Hard Coat Anodized Aluminum
Acetic Acid, 20%	U	G	G	Hydrogen sulfide, dry	U	G	Е
Acetone	G	Е	E	JP-4	G	G	G
Ammonia, anhydrous	G	Е	E	Kerosene	G	G	G
Ammonium hydroxide, 10%	U	U	U	Lacitic acid, 10%	G	G	G
Ammonium chloride, 10%	U	U	U	Magnesium chloride, 50%	G	U	U
Ammyl acetate (122°F / 50°C)	G	Е	Е	Mercury	U	U	U
Barium hydroxide	U	U	U	Methyl alcohol	G	G	G
Beer	G	Е	Е	Methyl ethyl ketone	G	G	G
Boric acid solutions	G	Е	Е	Methylene chloride	G	Е	Е
Butane	G	G	G	Mineral oil	G	G	G
Calcium chloride, 20%	G	G	G	Naptha	G	G	G
Calcium hydroxide, 10%	G	G	G	Nitric acid, 70%	U	U	U
Carbon dioxide	G	Е	Е	Phosphoric acid, 10%	U	U	U
Carbon monoxide	G	Е	Е	Sodium chloride	G	U	U
Chlorine gas, dry	G	G	G	Sodium hydroxide, 20%	G	U	U
Chlorine gas, wet	U	U	U	Sodium hypochlorite, 20%	U	G	G
Chromic acid, 10%	U	G	E	Sodium peroxide, 10%	U	G	G
Citric acid, 5%	G	Е	E	Steam (see water)	-	-	-
Ethyl acetate	G	Е	Е	Sulfur dioxide, wet	U	U	U
Ethyl alcohol	G	Е	Е	Sulfur dioxide, dry	G	G	G
Ethylene glycol	G	Е	E	Sulfur trioxide	U	G	G
Ferric chloride, 50%	U	U	U	Sulfuric acid, 50%	U	U	U
Formic acid - Anhydrous	U	Е	Е	Sulfurous acid	U	G	G
Gasoline, Unleaded	G	G	G	Toluene (122°F / 50°C)	G	Е	Е
Hydrochloric acid, 20%	U	U	U	Turpentine	G	G	Е
Hydrochloric acid, 35%	U	U	U	Water, demineralized	U	G	Е
Hydrocyanic acid, 10%	U	G	G	Water, distilled	G	U	S
Hydrofluoric acid - dilute	U	U	U	Sea Water	G	G	Е
Hydrofluoric acid, 48%	I	U	U	Water, sewage	G	U	S
Hydrogen	G	Е	Е	Xylene	G	G	G
Hydrogen peroxide - dilute	U	Е	Е	Zinc chloride solutions	U	U	U

## **Optimized Solution**

#### PBC Linear's Design on a Diet with GST

#### **Application PROBLEM:**

Material handling and positioning of samples on a blood chemistry analyzer.

#### **Problems with Intial Design:**

- Numerous Parts
- · Multiple Machining Operations
- Complex Assembly
- Several Part/Machine Vendors

	Component Solution			
2	End Blocks			
3	Screw Support Bearings			
2	Shafts			
1	Lead Screw			
4	Shaft Bearings			
1	Lead Screw Nut			
20	Fasteners & Dowels			
3	Complex Machined Parts			
!	SEVERAL VENDORS			






#### **Design on a Diet Solution:**

- · Compact, zero maintenance design with GST's FrelonGOLD® Liner
- · Significantly reduced part count
- · Simplified assembly and improved aesthetics
- Complete solution from one vendor: **PBC Linear**







From best-in-class components to complete concept-to-creation systems, PBC Linear actively designs game-changing, linear motion solutions that provide our customers with the competitive advantage by streamlining assembly, improving application performance and implementing innovative ideas that put you on the path to success.

Design Diet

Improve Life & Reliability Faster Time To Market Improve Performance Reduce Risk Reduce Total Costs Streamline Assembly

More information: Design on a Diet

PBC Linear's Design on a Diet allows customers to work directly with our very own Application Engineers. It is this communication between customer and engineer that allows PBC Linear to eliminate large part counts and lowers cost of time and installation. To start working on your engineered design, e-mail one of our application engineers now!



Put our Design on a Diet mantra to the test and e-mail one of our application engineers to get started on your optimized solution today!



Email an Application Engineer





## PBC Linear Worldwide Headquarters

6402 E. Rockton Road Roscoe, Illinois 61073 USA

Tel: +1.815.389.5600 Toll-Free: +1.800.962.8979 Fax: +1.815.389.5790

sales@pbclinear.com pbclinear.com

# PBC Linear Europe GmbH European Headquarters

Bonner Straße 363 40589 Duesseldorf Germany

Tel: +49 211 545590 20 Fax: +49 211 545590 39

info@pbclinear.eu pbclinear.eu

## PBC-MOONS China Headquarters

168 Mingjia Road, Minhang District, Shanghai 201107,

P.R. China

Tel: +86 21 52634688 Fax: +86 21 52634098

info@moons.com.cn www.moons.com.cn

PBC Linear has a global network of distributors with thousands of locations worldwide.

Visit **pbclinear.com** to find a distributor near you.

## Distributed by

All information within this catalog is correct at the time of printing.

However, in some instances adjustments need to be made, and this may cause specific information to become outdated.

For the most current version, please reference our online catalog through the resources menu at **pbclinear.com**.

© 2019 PBC Linear®, A Pacific Bearing Company \* "PBC Linear" and "PBC Linear" and "PBC Linear" and "PBC Linear" and "PBC Linear technik GmbH" are subsidiaries of Pacific Bearing Company ("PBC"). The data and specifications in this publication have been carefully compiled and are believed to be accurate and correct. Specifications are subject to change without notice. It is the responsibility of the user to determine and ensure the suitability of PBC's products for a specific application. PBC's only obligation will be to repair or replace, without charge, any defective components if returned promptly. No liability is assumed beyond such replacement. Other corporate and product names, images, text and logos may be trademarks or copyrights of other companies and are used only for explanation and to the owners benefit; without intent to infringe. This document may not be reproduced, in part or whole, without the prior written authorization of PBC. Consult pbclinear.com for the latest technical updates.